Author Index

Ahn, K. Y.	Optimal synthesis of a spring-actuated cam mechanism using a cubic spline	875–883
Akiyama, M.	Die design by a void index in multi-pass drawing	1043–1049
Akour, S. N.	Failure of an internally threaded structure: the valve centre spool	1157–1163
Alebrahim, A. M.	Electric defrosting analysis of a finned-tube evaporator coil using the enthalpy method	655–673
Alibiglu, A.	Elasticity solution for thick laminated anisotropic cylindrical panels under dynamic load	315–324
Alonso Fernández, M. A.	Car–caravan snaking. Part 1: the influence of pintle pin friction	707–722
Alonso Fernández, M. A.	Car–caravan snaking. Part 2: active caravan braking	723–736
Amezua, E.	A method for the solution of the forward position problems of planar mechanisms with prismatic and revolute joints	395–407
Awcock, G.	On the use of laser-induced fluorescence for the measurement of in-cylinder air–fuel ratios	1017–1029
Bair, B.-W.	Computer aided design of non-standard elliptical gear drives	473–483
Begg, S.	On the use of laser-induced fluorescence for the measurement of in-cylinder air–fuel ratios	1017–1029
Belta, C.	Euclidean metrics for motion generation on $SE(3)$	47–60
Bhattacharya, B.	Vibration suppression of structures with viscoelastic inserts	983–995
Bidard, C.	On the geometry of rigid-body motions: the relation between Lie groups and screws	13–23
Bingham, C. M.	Simplified characteristics of active magnetic bearings	623–628
Brennan, M. J.	Reduced-order modelling methods to assess the overall vibration response of a flexible rotor–squeeze film damper bearing assembly	1081–1097
Burgess, C. P.	Control of diffusing flow at low Reynolds numbers with annular wall jets	243–253
Burgess, S. C.	A model of the tension and transmission efficiency of a bush roller chain	385–394
Burrows, C. R.	Control of multifrequency rotor vibration components	165–177
Cabral, E. L.	Air flow in a plate valve with unequal upstream and downstream orifice sizes	459–471
Care, I. D.	Robust balancing for rotating machines	1117–1130
Castellani, M.	Outline of a new evolutionary algorithm for fuzzy systems learning	557–570
Castellani, M.	Evolutionary fuzzy logic system for intelligent fibre optic components assembly	571–581
Castellani, M.	Action aggregation and defuzzification in Mamdani-type fuzzy systems	747–759
Cawley, P.	The variation of the reflection coefficient of extensional guided waves in pipes from defects as a function of defect depth, axial extent, circumferential extent and frequency	1131–1143
Ceccarelli, M.	An optimum synthesis for gripping mechanisms by using natural coordinates	643–653
Chen, C.-I.	Unsteady unidirectional flow of a Maxwell fluid in a circular duct with different given volume flowrate conditions	583–590
Chen, C.-K.	Three-dimensional inverse heat transfer analysis during the grinding process	199–212
Chen, C.-K.	Unsteady unidirectional flow of a Maxwell fluid in a circular duct with different given volume flowrate conditions	583–590
Chen, F.-C.	On the dynamics of a spring-type operating mechanism for a gas-insulated circuit breaker in open operation using the Lagrange equation	831–843
Chen, J.	The research on non-linear characteristics of a cracked rotor and reconstruction of the crack forces	1099–1108
Chen, T.-H.	Plastic deformation and fracture characteristics of Hadfield steel subjected to high-velocity impact loading	971–982
Chen, Y.	Stability analysis of the rolling process and regenerative chatter on 2030 tandem mills	1225–1235

© IMechE 2002

Chevalier, C.	The variation of the reflection coefficient of extensional guided waves in pipes from defects as a function of defect depth, axial extent, circumferential extent and frequency	1131–1143
Cho, C.-C.	Improving kinematic and structural performance of Geneva mechanisms using the optimal control method	761–774
Choi, Y. J.	Vibration analysis of single rigid-body systems having planes of symmetry	629–641
Chung, J.	Performance of automatic ball balancers on optical disc drives	1071–1080
Ciffo, L. G.	Dynamic crushing of auxetic open-cell polyurethane foam	1153–1156
Cole, M. O. T.	Control of multifrequency rotor vibration components	165–177
Cuadrado, J.	An optimum synthesis for gripping mechanisms by using natural coordinates	643–653
Dai, J. S.	Orientation capability of planar serial manipulators using rotatability analysis based on workspace decomposition	275–288
Dai, J. S.	Carton manipulation analysis using configuration transformation	543–555
Dai, J. S.	Kinematics and mobility analysis of carton folds in packing manipulation based on the mechanism equivalent	959–970
Dai, J. S.	Geometric synthesis of spatial parallel manipulators with fewer than six degrees of freedom	1175–1185
Dan, B. J.	Vibration analysis of single rigid-body systems having planes of symmetry	629–641
Davidson, J. K.	Geometric tolerances: a new application for line geometry and screws	95–104
de Sercey, G.	On the use of laser-induced fluorescence for the measurement of in-cylinder air–fuel ratios	1017–1029
Dooner, D. B.	Equilibrium and diffusion equations using cylindroidal coordinates	61–72
Dopico, D.	An optimum synthesis for gripping mechanisms by using natural coordinates	643–653
Du, H.	Design and analysis of a passive damping device in a head actuator assembly	353–366
Duffy, J.	Sir Robert Stawell Ball and methodologies of modern screw theory	1–11
Duffy, J.	An initial investigation into the geometrical meaning of the (pseudo-) inverses of the line matrices for the edges of platonic polyhedra	25–31
Ebert-Uphoff, I.	Characteristic tetrahedron of wrench singularities for parallel manipulators with three legs	81–93
Ebrahimi, M.	Robust stability with system uncertainties	495–508
Eslami, M. R.	Elasticity solution for thick laminated anisotropic cylindrical panels under dynamic load	315–324
Esteves-Booth, A.	A review of vehicular emission models and driving cycles	777–797
Fang, H. S.	Design constraints of five-arc Roots vacuum pumps	225–234
Fasse, E. D.	Application of screw theory to lumped-parameter modelling of elastically coupled rigid bodies	105–121
Fawehinmi, O. B.	Finite element analysis of flow in a cavity with internal blockages	517–530
Fong, Z.-H.	Design constraints of five-arc Roots vacuum pumps	225–234
Friswell, M. I.	Robust balancing for rotating machines	1117–1130
Furuta, H.	Die design by a void index in multi-pass drawing	1043–1049
Garvey, S. D.	Robust balancing for rotating machines	1117–1130
Gaskell, P. H.	Finite element analysis of flow in a cavity with internal blockages	517–530
Genin, J.	Plate subjected to an out-of-plane follower force	913–921
Gohar, R.	Aligned and misaligned contacts of rollers to races in elastohydrodynamic finite line conjunctions	1051–1070
Gold, M.	On the use of laser-induced fluorescence for the measurement of in-cylinder air–fuel ratios	1017–1029
Gu, C. L.	A novel robot hand with embedded shape memory alloy actuators	737–745
Guo, N.	Design and analysis of a passive damping device in a head actuator assembly	353–366
Hakama, S.	An investigation of an ion drag using a needle–mesh electrode configuration	325–335
Heikal, M.	On the use of laser-induced fluorescence for the measurement of in-cylinder air–fuel ratios	1017–1029

© IMechE 2002

Hernández, A.	A method for the solution of the forward position problems of planar mechanisms with prismatic and revolute joints	395–407
Hill, M.	Reduced-order modelling methods to assess the overall vibration response of a flexible rotor–squeeze film damper bearing assembly	1081–1097
Hills, D. A.	The effect of friction on a receding conformal contact	337–342
Hills, D. A.	A stepped, shrink-fitted shaft subject to torsion	997–1004
Hills, D. A.	Torsional loading of a finite shrink-fit shaft	1109–1115
Holmes, R.	Reduced-order modelling methods to assess the overall vibration response of a flexible rotor–squeeze film damper bearing assembly	1081–1097
Hou, J. P.	The effect of friction on a receding conformal contact	337–342
House, J. R.	Vibration suppression of structures with viscoelastic inserts	983–995
Howe, D.	Simplified characteristics of active magnetic bearings	623–628
Hu, N. Q.	Chaotic behaviour identification of a rub-impact rotor using short-term predictability of measured data	675–681
Huang, B. W.	Effect of a local crack on the dynamic characteristics of a rotating grouped blade disc	447–457
Huang, X.	Large deflection of elastoplastic, non-linear strain-hardening cantilevers	433–446
Huang, Z.	Geometric synthesis of spatial parallel manipulators with fewer than six degrees of freedom	1175–1185
Huh, K.	The effect of a concentrated mass on the modal characteristics of a rotating cantilever beam	151–163
Hung, C.-I.	An optimal design of axial-flow fan blades by the machining method and an artificial neural network	367–376
Hunold, M. C.	Air flow in a plate valve with unequal upstream and downstream orifice sizes	459–471
Hyder, S. J.	Flexural wave generation and stress analysis during laser evaporative heating of steel	531–542
Hyder, S. J.	Analysis of a flexural wave due to a laser heating pulse: the two-layer assembly case	1165–1174
Jalali-Vahid, D.	Transient elastohydrodynamic lubrication analysis of ultra-high molecular weight polyethylene hip joint replacements	409–420
Jin, Z. M.	Transient elastohydrodynamic lubrication analysis of ultra-high molecular weight polyethylene hip joint replacements	409–420
Jones, C.	Inelastic failure of fully clamped beams and circular plates under impact loading	133–149
Jones, N.	Inelastic failure of fully clamped beams and circular plates under impact loading	133–149
Kalyon, M.	Formulation of surface temperature for laser evaporative pulse heating: the time exponentially decaying pulse case	289–300
Kalyon, M.	Parametric variation of the maximum surface temperature during laser heating with convective boundary conditions	691–700
Kauder, K.	Analysis of flowrates as a basis for the simulation of dry-running rotational positive displacement pumps	1197–1205
Keogh, P. S.	Control of multifrequency rotor vibration components	165–177
Kim, J. H.	Optimal synthesis of a spring-actuated cam mechanism using a cubic spline	875–883
Kim, K.-W.	The effect of active control on stability characteristics of hydrodynamic journal bearings with an axial groove	939–946
Kim, S. H.	Optimal synthesis of a spring-actuated cam mechanism using a cubic spline	875–883
Kim, W.	Performance of automatic ball balancers on optical disc drives	1071–1080
Kirby, H.	A review of vehicular emission models and driving cycles	777–797
Kosse, V.	Design evaluation of two-roller conveyors for semi-self-flowing transportation	1217–1223
Kuang, J. H.	Effect of a local crack on the dynamic characteristics of a rotating grouped blade disc	447–457
Kubie, J.	Modelling of the injection of hot liquid sprays into a closed vessel	485–488
Kubie, J.	A review of vehicular emission models and driving cycles	777–797
Kubie, J.	Penetration of tubulars into horizontal oil wells	1237–1245
Kuboki, T.	Die design by a void index in multi-pass drawing	1043–1049
Kumar, V.	Euclidean metrics for motion generation on $SE(3)$	47–60

© IMechE 2002

Kushwaha, M.	Aligned and misaligned contacts of rollers to races in elastohydrodynamic finite line conjunctions	1051–1070
Ladommatos, N.	Analysis of large-scale flow characteristics in a four-valve spark ignition engine	923–938
Laguitton, O.	On the use of laser-induced fluorescence for the measurement of in-cylinder air–fuel ratios	1017–1029
Lamberti, L.	Design optimization of large-scale structures with sequential linear programming	799–811
Landi, F. P.	Improving the modal strain energy method for damped structures using a dyadic matrix perturbation approach	1207–1216
Lawn, C. J.	Control of diffusing flow at low Reynolds numbers with annular wall jets	243–253
Le, M. T.	Bearing life prognosis under environmental effects based on accelerated life testing	509–516
Lear, W. E.	Analysis of two-phase ejectors with Fabri choking	607–621
Lee, J.	An initial investigation into the geometrical meaning of the (pseudo-) inverses of the line matrices for the edges of platonic polyhedra	25–31
Lee, J.-J.	Improving kinematic and structural performance of Geneva mechanisms using the optimal control method	761–774
Lee, J.-K.	Characteristic tetrahedron of wrench singularities for parallel manipulators with three legs	81–93
Lee, K.	Numerical analysis of dynamic contact with combined constraint of displacement, velocity and acceleration on the contact surface	377–382
Lee, W.-S.	Plastic deformation and fracture characteristics of Hadfield steel subjected to high-velocity impact loading	971–982
Lees, A. W.	Robust balancing for rotating machines	1117–1130
Li, L. Y.	An engineering model for coupled heat and mass transfer analysis in heated concete	213–224
Li, L.-Y.	A theoretical model for the contact of elastoplastic bodies	421–431
Li, Y.	Analysis of large-scale flow characteristics in a four-valve spark ignition engine	923–938
Liang, S. Y.	Bearing life prognosis under environmental effects based on accelerated life testing	509–516
Liao, G.	Stability analysis of the rolling process and regenerative chatter on 2030 tandem mills	1225–1235
Lin, B.-J.	An optimal design of axial-flow fan blades by the machining method and an artificial neural network	367–376
Lin, R. M.	Design and analysis of a passive damping device in a head actuator assembly	353–366
Lipkin, H.	Sir Robert Stawell Ball and methodologies of modern screw theory	1–11
Lipkin, H.	Characteristic tetrahedron of wrench singularities for parallel manipulators with three legs	81–93
Liu, H.	Carton manipulation analysis using configuration transformation	543–555
Liu, Q. L.	Practical reliability-based analysis of a coil tube spring	179–182
Liu, S.	Stability analysis of the rolling process and regenerative chatter on 2030 tandem mills	1225–1235
Lobo, L.	The effect of laser processing parameters on the particulate generated during the cutting of thin mild steel sheet	301–313
Lodge, C. J.	A model of the tension and transmission efficiency of a bush roller chain	385–394
Lowe, M. J. S.	The variation of the reflection coefficient of extensional guided waves in pipes from defects as a function of defect depth, axial extent, circumferential extent and frequency	1131–1143
Lowndes, I. S.	An application of thermal exergy analysis to the development of mine cooling systems	845–857
Lu, G.	Large deflection of elastoplastic, non-linear strain-hardening cantilevers	433–446
Lu, G.	Axial crushing force of externally fibre-reinforced metal tubes	863–874
McCourt, I.	Penetration of tubulars into horizontal oil wells	1237–1245
MacLennan, L. D.	An analytical method to determine the influence of shape deviation on load distribution and mesh stiffness for spur gears	1005–1016
MacLennan, L. D.	On the experimental validation of a non-linear shaft damping model	1031–1035
Mago, P. J.	Dynamics of coil defrosting in supersaturated freezer air	949–958
Maschke, B.	On the geometry of rigid-body motions: the relation between Lie groups and screws	13–23

 © IMechE 2002

Mhango, L. M. C.	Innovative high-speed machines with active magnetic bearings for special submerged gas processing	183–197
Miyashita, T.	An investigation of an ion drag using a needle–mesh electrode configuration	325–335
Moy, S. S. J.	Analysis of damped composite sandwich plates using plate bending elements with substitute shear strain fields based on Reddy's higher-order theory	591–606
Muneer, T.	A review of vehicular emission models and driving cycles	777–797
Nagarajan, T.	Optimal trajectory planning for a hexapod machine tool during contour machining	1247–1257
Nayak, A. K.	Analysis of damped composite sandwich plates using plate bending elements with substitute shear strain fields based on Reddy's higher-order theory	591–606
Nayfeh, J. F.	Failure of an internally threaded structure: the valve centre spool	1157–1163
Neishi, Y.	Die design by a void index in multi-pass drawing	1043–1049
Ni, J.	Elastic deflection of the sliding bearing interface in the tangential direction	235–242
Pappalettere, C.	Design optimization of large-scale structures with sequential linear programming	799–811
Parker, G. M.	Analysis of two-phase ejectors with Fabri choking	607–621
Patsias, S.	Image sequences and wavelets for vibration analysis. Part 1: edge detection and extraction of natural frequencies	885–900
Patsias, S.	Image sequences and wavelets for vibration analysis. Part 2: extraction of modal dampings and modeshapes	901–912
Patsias, S.	Dynamic crushing of auxetic open-cell polyurethane foam	1153–1156
Peel, D. J.	Simplified characteristics of active magnetic bearings	623–628
Perryman, R.	Innovative high-speed machines with active magnetic bearings for special submerged gas processing	183–197
Petersson, M.	Two-dimensional finite element simulation of the thermal problem at railway block braking	259–273
Petuya, V.	A method for the solution of the forward position problems of planar mechanisms with prismatic and revolute joints	395–407
Pfister, F.	Spatial point contact kinematics and parallel transport	33–45
Pham, D. T.	Outline of a new evolutionary algorithm for fuzzy systems learning	557–570
Pham, D. T.	Evolutionary fuzzy logic system for intelligent fibre optic components assembly	571–581
Pham, D. T.	Action aggregation and defuzzification in Mamdani-type fuzzy systems	747–759
Pickering, S. J.	An application of thermal exergy analysis to the development of mine cooling systems	845–857
Pu, Y.	The research on non-linear characteristics of a cracked rotor and reconstruction of the crack forces	1099–1108
Pugazhenthi, S.	Optimal trajectory planning for a hexapod machine tool during contour machining	1247–1257
Purdy, D. J.	Theoretical investigation into the modelling of a flexible beam with drive-line compliance	813–829
Purkiss, J. A.	An engineering model for coupled heat and mass transfer analysis in heated concrete	213–224
Rahnejat, H.	Aligned and misaligned contacts of rollers to races in elastohydrodynamic finite line conjunctions	1051–1070
Rees Jones, J.	Kinematics and mobility analysis of carton folds in packing manipulation based on the mechanism equivalent	959–970
Rho, B.-H.	The effect of active control on stability characteristics of hydrodynamic journal bearings with an axial groove	939–946
Rongong, J. A.	Improving the modal strain energy method for damped structures using a dyadic matrix perturbation approach	1207–1216
Rooney, J.	An initial investigation into the geometrical meaning of the (pseudo-) inverses of the line matrices for the edges of platonic polyhedra	25–31
Roosenbrand, A. G.	The variation of the reflection coefficient of extensional guided waves in pipes from defects as a function of defect depth, axial extent, circumferential extent and frequency	1131–1143
Sackfield, A.	A stepped, shrink-fitted shaft subject to torsion	997–1004

© IMechE 2002

Sackfield, A.	Torsional loading of a finite shrink-fit shaft	1109–1115
Scarpa, F.	Dynamic crushing of auxetic open-cell polyurethane foam	1153–1156
Scarpa, F.	Improving the modal strain energy method for damped structures using a dyadic matrix perturbation approach	1207–1216
Selig, J. M.	Three problems in robotics	73–80
Seo, S.	The effect of a concentrated mass on the modal characteristics of a rotating cantilever beam	151–163
Seth, B. B.	Bearing life prognosis under environmental effects based on accelerated life testing	509–516
Shah, J. J.	Geometric tolerances: a new application for line geometry and screws	95–104
Shah, P.	Orientation capability of planar serial manipulators using rotatability analysis based on workspace decomposition	275–288
Shakeri, M.	Elasticity solution for thick laminated anisotropic cylindrical panels under dynamic load	315–324
Sharp, R. S.	Car–caravan snaking. Part 1: the influence of pintle pin friction	707–722
Sharp, R. S.	Car–caravan snaking. Part 2: active caravan braking	723–736
Shenoi, R. A.	Analysis of damped composite sandwich plates using plate bending elements with substitute shear strain fields based on Reddy's higher-order theory	591–606
Sherif, S. A.	Analysis of two-phase ejectors with Fabri choking	607–621
Sherif, S. A.	Electric defrosting analysis of a finned-tube evaporator coil using the enthalpy method	655–673
Sherif, S. A.	Dynamics of coil defrosting in supersaturated freezer air	949–958
Shi, T.	Stability analysis of the rolling process and regenerative chatter on 2030 tandem mills	1225–1235
Shuja, S. Z.	Flexural wave generation and stress analysis during laser evaporative heating of steel	531–542
Siew, C. C.	Reduced-order modelling methods to assess the overall vibration response of a flexible rotor–squeeze film damper bearing assembly	1081–1097
Simonetti, F.	The variation of the reflection coefficient of extensional guided waves in pipes from defects as a function of defect depth, axial extent, circumferential extent and frequency	1131–1143
Sinaie, A.	General linearized equations of wave propagation in strained elastic solids of cylindrical shapes using a simple perturbation method	683–690
Singaperumal, M.	Optimal trajectory planning for a hexapod machine tool during contour machining	1247–1257
Staszewski, W. J.	Image sequences and wavelets for vibration analysis. Part 1: edge detection and extraction of natural frequencies	885–900
Staszewski, W. J.	Image sequences and wavelets for vibration analysis. Part 2: extraction of modal dampings and modeshapes	901–912
Stramigioli, S.	On the geometry of rigid-body motions: the relation between Lie groups and screws	13–23
Tang, E.-J.	An optimal design of axial-flow fan blades by the machining method and an artificial neural network	367–376
Tenchev, R. T.	An engineering model for coupled heat and mass transfer analysis in heated concrete	213–224
Thompson, H. M.	Finite element analysis of flow in a cavity with internal blockages	517–530
Thornton, C.	A theoretical model for the contact of elastoplastic bodies	421–431
Tomlinson, G. R.	Image sequences and wavelets for vibration analysis. Part 1: edge detection and extraction of natural frequencies	885–900
Tomlinson, G. R.	Image sequences and wavelets for vibration analysis. Part 2: extraction of modal dampings and modeshapes	901–912
Tomlinson, G. R.	Vibration suppression of structures with viscoelastic inserts	983–995
Tomlinson, G.	Improving the modal strain energy method for damped structures using a dyadic matrix perturbation approach	1207–1216
Truman, C. E.	A stepped, shrink-fitted shaft subject to torsion	997–1004
Truman, C. E.	Torsional loading of a finite shrink-fit shaft	1109–1115
Truslove, T.	Penetration of tubulars into horizontal oil wells	1237–1245
Tu, C. C.	Air flow in a plate valve with unequal upstream and downstream orifice sizes	459–471

 © IMechE 2002

Twort, C. T.	An application of thermal exergy analysis to the development of mine cooling systems	845–857
Tyrer, J. R.	The effect of laser processing parameters on the particulate generated during the cutting of thin mild steel sheet	301–313
Tzeng, Y.-F.	On the dynamics of a spring-type operating mechanism for a gas-insulated circuit breaker in open operation using the Lagrange equation	831–843
Uchiyama, T.	Numerical study on the propulsive performance of a wiggling blade in bubbly flow	1187–1196
Wang, B.	Large deflection of elastoplastic, non-linear strain-hardening cantilevers	433–446
Wang, C.-C.	Three-dimensional inverse heat transfer analysis during the grinding process	199–212
Wang, P.-Y.	Design constraints of five-arc Roots vacuum pumps	225–234
Wang, X.	Axial crushing force of externally fibre-reinforced metal tubes	863–874
Wen, X. S.	Chaotic behaviour identification of a rub-impact rotor using short-term predictability of measured data	675–681
Wenderott, D.	Analysis of flowrates as a basis for the simulation of dry-running rotational positive displacement pumps	1197–1205
Whalley, R.	Robust stability with system uncertainties	495–508
Williams, E. J.	Robust balancing for rotating machines	1117–1130
Williams, K.	The effect of laser processing parameters on the particulate generated during the cutting of thin mild steel sheet	301–313
Wood, R.	On the use of laser-induced fluorescence for the measurement of in-cylinder air–fuel ratios	1017–1029
Wu, C.-Y.	A theoretical model for the contact of elastoplastic bodies	421–431
Wu, Y.	Simplified characteristics of active magnetic bearings	623–628
Xu, L. M.	Design and analysis of a passive damping device in a head actuator assembly	353–366
Xu, W.	Plate subjected to an out-of-plane follower force	913–921
Yanada, H.	An investigation of an ion drag using a needle–mesh electrode configuration	325–335
Yang, K.	A novel robot hand with embedded shape memory alloy actuators	737–745
Yang, S.	Stability analysis of the rolling process and regenerative chatter on 2030 tandem mills	1225–1235
Yang, S.-C.	A mathematical model of the rotor profile of the single-screw compressor	343–351
Yang, Y.-T.	Unsteady unidirectional flow of a Maxwell fluid in a circular duct with different given volume flowrate conditions	583–590
Yates, J. R.	Dynamic crushing of auxetic open-cell polyurethane foam	1153–1156
Yedidiah, S.	Effects of pump geometry on the flow within a centrifugal impeller	1145–1149
Yilbas, B. S.	Formulation of surface temperature for laser evaporative pulse heating: the time exponentially decaying pulse case	289–300
Yilbas, B. S.	Flexural wave generation and stress analysis during laser evaporative heating of steel	531–542
Yilbas, B. S.	Parametric variation of the maximum surface temperature during laser heating with convective boundary conditions	691–700
Yilbas, B. S.	Analysis of a flexural wave due to a laser heating pulse: the two-layer assembly case	1165–1174
Yoo, H. H.	The effect of a concentrated mass on the modal characteristics of a rotating cantilever beam	151–163
Yoshikawa, H.	Die design by a void index in multi-pass drawing	1043–1049
Yu, T. X.	Large deflection of elastoplastic, non-linear strain-hardening cantilevers	433–446
Zeng, S.	Design and analysis of a passive damping device in a head actuator assembly	353–366
Zeng, S.	On the quasi-rigid body motion of the head actuator assembly in hard disk drives	1259–1262
Zhang, C.	Bearing life prognosis under environmental effects based on accelerated life testing	509–516
Zhang, N.	An investigation of an ion drag using a needle–mesh electrode configuration	325–335
Zhang, Y. M.	Practical reliability-based analysis of a coil tube spring	179–182
Zhao, H.	Analysis of large-scale flow characteristics in a four-valve spark ignition engine	923–938
Zhao, T. S.	Geometric synthesis of spatial parallel manipulators with fewer than six degrees of freedom	1175–1185

© IMechE 2002

Zhong, P.	The research on non-linear characteristics of a cracked rotor and reconstruction of the crack forces	1099–1108
Zhu, Z.	Elastic deflection of the sliding bearing interface in the tangential direction	235–242
Ziaie, A.	General linearized equations of wave propagation in strained elastic solids of cylindrical shapes using a simple perturbation method	683–690
Zou, J.	The research on non-linear characteristics of a cracked rotor and reconstruction of the crack forces	1099–1108

© IMechE 2002